Attorney's Docket No.: 109263-132222

IPN: P16324

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application for:

Oi Fong Chin et al.

Application No.: 10/695,244

Filed: 10/27/2003

Patent No.: 7,005,317 B2

Issued: 02/28/2006

For: CONTROLLED FRACTURE

SUBSTRATE SINGULATION

Attn: Certificate of Corrections Branch

Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

REQUEST FOR CERTIFICATE OF CORRECTION

Dear Sir:

Upon review of the above-referenced Letters Patent, Applicant noted errors that are the mistake of the U.S. Patent and Trademark Office and the Applicant. Those errors are as follows:

Column 2

Line 9, "...active side 4..." should read --...die side 4...--.

Lines 42 and 44, "...die 1..." should read --...die 2...--.

Column 5

Lines 65-66, "...diaphragm 18..." should read --...diaphragm 20...--.

Column 6

Line 62, "...diaphragm 18..." should read --...diaphragm 20...--.

Column 8

Line 39, "...the grooves..." should read --...the groove...--.

Examiner: Lee, Hsien Ming

Art Group: 2823

Confirmation No. 4340

Column 9

Lines 1, 5, 7, 16, 28, 30, 35, 38-39, and 58, "...the grooves..." should read -- ...the groove...-.

Column 10

Lines 3, 35, 40, 42, 51, 53, 63, and 66, "...the grooves..." should read --...the groove...--.

Column 11

Line 4, "...the grooves..." should read --...the groove...-.

Column 12

Line 11, "...the grooves..." should read --...the groove...--.

Column 9

Lines 27-28, "...wherein forming one or more the grooves..." should read -- ...wherein forming the groove...--.

Included with this submission is a Certificate of Correction and it is respectfully requested that a Certificate of Correction be issued. This request for correction is made under the provisions of 37 CFR 1.322 and 1.323.

Payment by Deposit Account No. 500393 is included in the amount of \$100.00 for the fee as set forth in 37 CFR § 1.20(a).

Respectfully submitted, SCHWABE, WILLIAMSON & WYATT, P.C.

Dated: 04/09/2007

/Angela M. Sagalewicz /

Angela M. Sagalewicz Registration No. 56,113

Pacwest Center, Suite 1900 1211 SW Fifth Avenue Portland, Oregon 97204 Telephone: 503-222-9981

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. : 7,005,317	P2			Page	<u>1</u> o	f <u>1</u>
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,						
APPLICATION NO.: 10/695,24	4					
SSUE DATE : 02/28/200	6					
NVENTOR(S) : Oi Fong C	hin et al.					
s hereby corrected as shov	or appears or errors appern below:	ear in the above-ider	ntified patent and th	nat said L	etters	Patent
Column 2 Line 9, "active side 4": Lines 42 and 44, "die 1						
Column 5 Lines 65-66, "…diaphragm	18" should readdia	aphragm 20				
Column 6 Line 62, "diaphragm 18	." should readdiaphra	agm 20				
Column 8 Line 39, "the grooves"	should readthe groo	/e				
Column 9 Lines 1, 5, 7, 16, 28, 30, 35	i, 38-39, and 58, "the g	rooves" should rea	adthe groove			
Column 10 Lines 3, 35, 40, 42, 51, 53,	63, and 66, "the groov	es" should read	the groove			
Column 11 Line 4, "the grooves" s	hould readthe groove)				
Column 12 Line 11, "the grooves"	should readthe groo	/e				
Column 9 Lines 27-28, "wherein for	ming one or more the gro	ooves" should read	dwherein formi	ng the gro	oove	

MAILING ADDRESS OF SENDER (Please do not use customer number below):

SCHWABE, WILLIAMSON & WYATT, P.C. 1211 SW Fifth Avenue, Suite 1900 Portland, OR 97204

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.